TOWN OF WILSON'S MILLS



FLOODPLAIN DEVELOPMENT PERMIT APPLICATION

Planning Department PO box 448, Wilson's Mills, NC 27593 Phone: (919) 938-3885 Fax: (919) 938-1121

PROCESS INFORMATION:

Permit Required: A floodplain development permit shall be required in conformance with the provisions of the Wilson's Mills Development Ordinance (WMDO) prior to the commencement of any development activities within Special Flood Hazard Areas as determined in accordance with Article 7 and Article 18 the WMDO.

Submissions: An application for a floodplain development permit shall be made to the Planning, Zoning & Subdivision Administrator, prior to performing grading, development, or construction on lands designated as Special Flood Hazard Areas. Applications shall provide all requested information, and shall be accompanied by a Site Development Plan.

Permit validity. Approval shall be valid for one (1) year from the date of approval.

APPLICANT INFORMATION:						
Applicant:						
Address:						
City:		State:	_ Zip:			
Phone:		Email:				
PROJECT INFORMA	ΓΙΟΝ:					
Project Address / Location:						
Size of Property (in acres):	of Property (in acres): Johnston Co. Tax PIN #:					
Town Jurisdiction:	In-Town Limits	ETJ				
Type of Development Activ	vity (check the all of	f the appropriate boxes):				
		Alteration				
Grading	Relocation	Deconstruction	Replacement			
Single Family Two (2) or More Residential Unit Structure						
Non-residential Multiple Uses Manufactured Home						
Watercourse Altera	tion associated with	bona fide farm operations				
Approved Stream R	testoration and/or R	iparian Buffer Restoration Plans				
Drainage Improven	nents (Including Cul	lvert Work)				
	Street, Driveway, Br	ridge, or Railroad Construction				
Subdivision						
Public water and se	wer lines					
Above-ground and	buried utility lines					

1

Please provide a description of the development to be permitted under this floodplain development permit application:					
FIRM	I Data:	Map Panel Number:	Suffix:	Date:	
Regul	latory Flo	oodway Info (Check correct option below):			
	•	Inside Regulatory Floodway	Outside Regulatory Flo	odway	
		No Regulatory Floodway			
		Outside Non-Encroachment Area			
	_	development standards data should be provided wh	ere applicable in this applica	ation or illustrated on the	
associ	iated plans	s:			
1.	If Inside	e Regulatory Floodway is checked above, attach en	gineering certification and so	upporting data as required.	
2.	Base flo	ood elevation (BFE) per FIRM at development site.			
3.	_	ory flood elevation at development site (BFE + loc	-		
4.		cable, elevation in relation to mean sea level (MSL) constructed.	at or above which the lower	st floor (including basement	
5.	Elevation	on in relation to mean sea level (MSL) at or above	which all attendant utilities to	o include, but not limited to,	
	all heati	ing, air conditioning and electrical equipment must	be installed.		
6.		on of top of grade of fill material.			
7.		e of fill material proposed below the BFE (cubic fee	et).		
8.		rease in volume below the BFE (cubic feet).			
9.	_	rage (if applicable) be used for any purpose other the		g access, or storage? If yes,	
10		e garage must be used in determining the lowest flowed method of elevating the structure:	or elevation.		
10.	-	undation wall is used - provide minimum of 2 oper	inac		
		-	•	elow RFF)	
11.	(b) Total area of openings required: (1 sq. inch per sq. foot of enclosed footprint area below BFE)1. Will any watercourse be altered or relocated as a result of the proposed development? If yes, attach a description of				
11.	-	ent of the alteration or relocation. Floodproofing in		ir yes, attach a description of	
12.		on in relation to mean sea level (MSL) to which str			
A Cita	. Davidan	ment Dlan duryin to sool askall be anayided with the	a annication for a Floodulai	n Davidanmant Damit Tha	
	-	ment Plan drawn to scale shall be provided with the ent Plan shall include, but shall not be limited to, the		_	
	opment:	ent Flan shan metude, but shan not be minted to, ti	le following specific details (of the proposed hoodplant	
deven	•	ure location dimensions and elevations of the area	of development/disturbance	e existing and proposed	
	The nature, location, dimensions and elevations of the area of development/disturbance; existing and proposed structures, utility systems, grading/pavement areas, fill materials, storage areas, drainage facilities and other				
	develop		, , , ,	2	
	The boundary of the special flood hazard area as delineated on the FIRM or other flood map as determined in				
	Article 18 of the WMDO, or a statement that the entire lot is within the special flood hazard area;				
	Flood zone(s) designation of the proposed development area as determined on the FIRM or other flood map as				
	determin	ned in Article 18 of the WMDO.			
	The boundary of the floodway(s) or non-encroachment area(s) as determined in Article 18 of the WMDO.				
	The base flood elevation (BFE) where provided as set forth in Article 18 of the WMDO.				
	The old and new location of any watercourse that will be altered or relocated because of proposed development.				

Elevation Information: Proposed elevation, and method thereof, of all development within a special flood hazard area including but not limited to:				
	Elevation in relation to mean sea level of the proposed reference level (including basement) of all structures;			
	Elevation in relation to mean sea level to which any nonresidential structure in Zone AE, A or AO will be flood-proofed;			
	Elevation in relation to mean sea level to which any proposed utility systems will be elevated or floodproofed;			
	If floodproofing, a floodproofing certificate (FEMA Form 81-65) with supporting data and an operational plan that includes, but is not limited to, installation, exercise and maintenance of floodproofing measures.			
	A foundation plan, drawn to scale, which shall include details of the proposed foundation system to ensure all provisions of the WMDO are met. These details include but are not limited to:			
	The proposed method of elevation, if applicable (such as,fill, solid foundation perimeter wall, solid backfilled foundation, open foundation on columns/posts/piers/piles/shear walls);			
	Openings to facilitate equalization of hydrostatic flood forces on walls in accordance with Article 18 of the WMDO when solid foundation perimeter walls are used in Zones A, AO, AE, and A1-30;			
	Usage details of any enclosed areas below the regulatory flood protection elevation;			
	Plans and/or details for the protection of public utilities and facilities such as sewer, gas, electrical, and water systems to be located and constructed to minimize flood damage;			
	Copies of all other local, state and federal permits required prior to floodplain development permit issuance (wetlands, endangered species, erosion and sedimentation control, riparian buffers, mining and the like);			
	Documentation for placement of recreational vehicles and/or temporary structures, when applicable.			
	A description of proposed watercourse alteration or relocation, when applicable, including an engineering report on the effects of the proposed project on the flood-carrying capacity of the watercourse and the effects to properties located both upstream and downstream; and a map (if not shown on plot plan) showing the location of			

Certification Requirements:

the proposed watercourse alteration or relocation.

- 1. An elevation certificate (FEMA Form 81-31) is required prior to the actual start of any new construction. It shall be the duty of the permit holder to submit to the Administrator a certification of the elevation of the reference level in relation to mean sea level. The Administrator shall review the certificate data submitted. Deficiencies detected by such review shall be corrected by the permit holder prior to the beginning of construction. Failure to submit the certification or failure to make required corrections shall be cause to deny a floodplain development permit.
- 2. An elevation certificate (FEMA Form 81-31) is required after the reference level is established. Within seven calendar days of establishment of the reference level elevation, it shall be the duty of the permit holder to submit to the Administrator a certification of the elevation of the reference level, in relation to mean sea level. Any work done within the seven-day calendar period and prior to submission of the certification shall be at the permit holder's risk. The Administrator shall review the certificate data submitted. Deficiencies detected by such review shall be corrected by the permit holder immediately and prior to further work being permitted to proceed. Failure to submit the certification or failure to make required corrections shall be cause to issue a stop-work order for the project.
- 3. A final as-built elevation certificate (FEMA Form 81-31) is required after construction is completed and prior to certificate of compliance/occupancy issuance. It shall be the duty of the permit holder to submit to the Administrator a certification of final as-built construction of the elevation of tie reference level and all attendant

utilities. The Administrator shall review the certificate data submitted. Deficiencies detected by such review shall be corrected by the permit holder immediately and prior to certificate of compliance/occupancy issuance. In some instances, another certification may be required to certify corrected as-built construction. Failure to submit the certification or failure to make required corrections shall be cause to withhold the issuance of a certificate of compliance/occupancy.

4. If non-residential floodproofing is used to meet the regulatory flood protection elevation requirements, a floodproofing certificate (FEMA Form 81-65), with supporting data and an operational plan, is required prior to the actual start of any new construction. It shall be the duty of the permit holder to submit to the Administrator a certification of the floodproofed design elevation of the reference level and all attendant utilities, in relation to mean sea level. Floodproofing certification shall be prepared by or under the direct supervision of a professional engineer or architect and certified by same. The Administrator shall review the certificate data and plan. Deficiencies detected by such review shall be corrected by the applicant prior to permit approval. Failure to submit the certification or failure to make required corrections shall be cause to deny a floodplain development permit. Failure to construct in accordance with the certified design shall be cause to withhold the issuance of a certificate of compliance/occupancy.

Manufactured Homes:

If a manufactured home is placed within Zone A, AO, AE, or A1-30 and the elevation of the chassis is more than 36 inches in height above grade, an engineered foundation certification is required per Article 18 of the WMDO.

Watercourses:

If a watercourse is to be altered or relocated, a description of the extent of watercourse alteration or relocation; a professional engineer's certified report on the effects of the proposed project on the flood carrying capacity of the watercourse and the effects to properties located both upstream and downstream; and a map showing the location of the proposed watercourse alteration or relocation shall all be submitted by the permit applicant prior to issuance of a floodplain development permit.

SIGNATURE:

Please read through the following information and sign. Any project requiring a FEMA issued LOMA or LOMR shall be processed after written FEMA approvals have been submitted.

- 1. No work of any kind shall commence until a permit has been issued.
- 2. The permit may be revoked if any false statements are made herein.
- 3. If revoked, all work must cease until the permit is re-issued.
- 4. The permit will expire if no development activities occur within one (1) year of issuance.
- 5. Applicant is hereby informed that other permits may be required to fulfill local, state, and federal regulatory requirements.
- 6. Applicant hereby gives consent to the Planning, Zoning & Subdivision Administrator to make reasonable inspections required to verify compliance with the permit.
- 7. No fill material or other development shall encroach into the floodway or non-encroachment area of any watercourse.

Applicant Print Name	Applicant Signature	Date
compliance to this application.	is in this of a confidence on occurr of the form to	eonade a site inspection to insure
, ,	formation given above is true, complete and accurate Mills or a contractor on behalf of the Town to	,